

09/746 903

C9C



6,917,608 B1

PATENT

P04793 (11461.00.0076)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

) Examiner: David Vincent

) David Weigand

) U.S. Patent No.: 6,917,608 B1

) Issued: July 12, 2005

) REQUEST FOR CERTIFICATE OF  
) CORRECTION OF PATENT FOR PTO  
) MISTAKE 37 CFR § 1.322(a)

) For: MICROSEQUENCER  
) MICROCODE BANK  
) SWITCHED ARCHITECTURE

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attn: Certificate of Correction Branch

*Certificate of First Class Mailing*  
*I hereby certify that this paper (Request For Cert. Of*  
*Correction) and Certificate of Correction 1 page) are*  
*being deposited with the United States Postal Service as*  
*first-class mail in an envelope addressed to: Comm. For*  
*Patents, P.O. Box 1450, Alexandria, VA 22313-1450,*  
*Cert. of Corr., Branch.*  
*7/29/05*  
*Nanette W. Combs*  
Date Nanette W. Combs

Sir:

Attached is Form PTO/SB/44 with errors and changes requested.

The exact location where the errors occur in the Certificate of Correction is:

Column 1, line 29

Column 3, line 47

Column 5, line 61

Column 20, line 51

Column 21, line 16

Certificate  
AUG 08 2005  
of Correction

6,917,608 B1

PATENT

P04793 (11461.00.0076)

Please send the corrected Certificate to:

Mark A. Dalla Valle, Esq.  
Vedder, Price, Kaufman & Kammholz, P.C.  
222 North LaSalle Street, 24<sup>th</sup> Floor  
Chicago, IL 60601

The Commissioner is hereby authorized to charge any additional fees to  
Deposit Account Number 22-0259.

Respectfully submitted,

VEDDER, PRICE, KAUFMAN & KAMMHOLZ, P.C.

Date: July 29, 2005

By: 

Mark A. Dalla Valle  
Reg. No. 34,147

Attorney for Assignee  
222 N. LaSalle St.  
Chicago, IL 60601  
Telephone: 312-609-7500  
Facsimile: 312-609-5005  
Customer No. 23418  
Atty. Docket: P04793  
(11461.00.0076)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1PATENT NO. : 6,917,608 **61**

APPLICATION NO.: 09/746,903

ISSUE DATE : July 12, 2005

INVENTOR(S) : David Weigand

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 29, delete "KhZ" and insert --KHz--.

Column 3, line 47, after "(PDCH)" and before "The", insert --.--.

Column 5, line 61, delete "30/8" and insert --3Π/8--.

Column 20, line 51, after "forms" and before "another" delete --a--.

Column 21, line 16, delete "DMA" and insert --TDMA--.

### MAILING ADDRESS OF SENDER (Please do not use customer number below):

Mark A. Dalla Valle, Vedder, Price, Kaufman & Kammholz, P.C.  
222 N. LaSalle St.  
Chicago, IL 60601

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1PATENT NO. : 6,917,608 *61*

APPLICATION NO.: 09/746,903

ISSUE DATE : July 12, 2005

INVENTOR(S) : David Weigand

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, line 29, delete "KhZ" and insert --KHz--.

Column 3, line 47, after "(PDCH)" and before "The", insert --.--.

Column 5, line 61, delete "30/8" and insert --3Π/8--.

Column 20, line 51, after "forms" and before "another" delete --a--.

Column 21, line 16, delete "DMA" and insert --TDMA--.

### MAILING ADDRESS OF SENDER (Please do not use customer number below):

Mark A. Dalla Valle, Vedder, Price, Kaufman & Kammholz, P.C.  
222 N. LaSalle St.  
Chicago, IL 60601

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.